# Section 1 - Identification

Product Name: Face Away Graffiti Remover (62050)

ITD Chemical, LLC 1827 Auger Drive Tucker, GA 30084 770-939-5544

**Emergency Phone: 800-535-5053** 

Product Use: Solventless Grafitti Remover

### Section 2 - Hazards Identification

#### **GHS Ratings:**

Skin corrosion/irritation 1A Destruction of dermal tissue: Exposure < 3 min. Observation

< 1 hour, visible necrosis in at least one animal

Serious eye damage/eye Serious eye damage: Irreversible damage 21 days after

exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5

**GHS Hazards** 

irritation

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

**GHS Precautions** 

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P264 Wash hands thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P310 Immediately call a POISON CENTER or doctor/physician if you feel unwell after

exposure of this product

P321 Specific treatment (see First Aid below or label) P363 Wash contaminated clothing before reuse

P301+P330+P331 IF SWALLOWED: Call a POISON CENTER or doctor/physician. Rinse mouth. Do

NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

P405 Store locked up

P501 Dispose of contents/container in conformance with State, Local, and Federal

regulations.

Signal Word: Danger



SDS for: Face Away Graffiti Remover (62050) Page 1 of 5

# Section 3 - Composition, Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
N,N-dimethyl 9-decenamide	1356964-77-6	0.00% - 15.00%

### Section 4 - First Aid Measures

**INHALATION:** Remove to fresh air. Give artificial respiration if not breathing. If breathing is difficult, oxygen may be given by qualified personnel. Obtain medical attention.

**EYE CONTACT:** Immediately flush eyes with water and continue washing for at least 15 minutes. DO NOT remove contact lenses, if worn. Obtain medical attention without delay, preferably from an ophthalmologist.

**SKIN CONTACT:** Immediately remove contaminated clothing and shoes. Wash skin with soap and water. Obtain medical attention. Wash clothing before reuse. Discard contaminated leather articles such as shoes and belt.

**SWALLOWING:** If patient is fully conscious, give two glasses of milk or water at once. DO NOT INDUCE VOMITING. Obtain medical attention without delay.

**NOTES TO PHYSICIAN:** There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

The hazards of this material are due mainly to its severely irritant properties on skin and mucosal surfaces. Due to the irritant nature of the material, the stomach should be evacuated carefully in cases of poisoning by swallowing.

## Section 5 - Fire Fighting Measures

Flash Point: N/A

LEL: UEL:

EXTINGUISHING MEDIA: Extinguish fires with water spray or apply alcohol-type or all-purpose-type foam by manufacturer's recommended techniques for large fires. Use carbon dioxide or dry chemical media for small fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS: During fire, oxides of nitrogen may be evolved.

HAZARDOUS COMBUSTION PRODUCTS: Burning can produce the following products: Oxides of carbon and nitrogen. Carbon monoxide is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant. Acute overexposure to the products of combustion may result in irritation of the respiratory tract.

FIRE FIGHTING PROCEDURES: Do not direct a solid stream of water or foam into burning molten material; this may cause spattering and spread the fire.

**SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:** Use self-contained breathing apparatus, eye protection, and protective clothing.

### Section 6 - Accidental Release Measures

**Steps to be Taken if Material is Released or Spilled:** Contain spilled material if possible. Collect in suitable and properly labeled containers. See Section 13, Disposal Considerations, for additional information.

Personal Precautions: Evacuate area. Refer to Section 7, Handling for additional

precautionary measures. Keep upwind of spill. Ventilate area of leak or spill. Only trained and properly protected personnel must be involved in clean-up operations.

**Environmental Precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

# Section 7 - Handling & Storage

General Handling: Do not get in eyes, on skin, on clothing. Avoid breathing vapor.

SDS for: Face Away Graffiti Remover (62050)

Page 2 of 5

Printed: 3/9/2023 at 3:28:00PM

Do not swallow. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. Do not use sodium nitrite or other nitrosating agents in formulations containing Suspected cancer-causing nitrosamines could be formed. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Ventilation: Provide general and/or local exhaust ventilation to control airborne levels guidelines.

## Section 8 - Exposure Controls/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
N,N-dimethyl 9-decenamide 1356964-77-6	Not Established	Not Established	Not Established

**Respiratory Protection:** Atmospheric levels should be maintained below the exposure guideline. When airborne exposure guidelines and/or comfort levels may be exceeded, use an approved air-purifying respirator. For emergency response or for situations where the atmospheric level is unknown, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary selfcontained air supply.

Ventilation: Provide general and/or local exhaust levels below the exposure guidelines .

Eye Protection: Monogoggles.

Protective Gloves: Polyvinyl chloride coated Rubber.

Other Protective Equipment: Eyebath, safety shower, and chemical apron.

## Section 9 - Physical & Chemical Properties

Appearance Clear Liquid	Odor Musty
<b>pH</b> 9 - 11	Color Lt. Straw
Specific Gravity 1.000	

# Section 10 - Stability & Reactivity

**STABLE** 

Incompatible Materials: Strong oxidizing agents. Strong bases. Strong acids. Aldehydes. Ketones. Acrylates. Organic anhydrides. Organic halides. Formates. Lactones. Oxalates.

Strong Oxidzing agents, Strong Acids

HAZARDOUS POLYMERIZATION Will not occur.

Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide, carbon monoxide, and other low molecular weight hydrocarbons

Hazardous polymerization will not occur.

# Section 11 - Toxicological Information

### **Mixture Toxicity**

Oral Toxicity LD50: 3,937mg/kg Inhalation Toxicity LC50: 356mg/L

**Component Toxicity** 

1356964-77-6 N,N-dimethyl 9-decenamide

Oral LD50: 550 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Rabbit)

Ingestion

SDS for: Face Away Graffiti Remover (62050)

Page 3 of 5

Printed: 3/9/2023 at 3:28:00PM

<u>CAS Number</u> <u>Description</u> <u>% Weight</u> <u>Carcinogen Rating</u>

# Section 12 - Ecological Information

### **Component Ecotoxicity**

### Section 13 - Disposal Considerations

All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

## Section 14 - Transportation Information

<u>Agency Proper Shipping Name</u> <u>UN Number Packing Group Hazard Class</u>

DOT Not Regulated

Section 15 - Regulatory Information

Country Regulation All Components Listed

**EU Risk Phrases** 


Safety Phrase

### Section 16 - Other Information

### **Hazardous Material Information System (HMIS)**



### National Fire Protection Association (NFPA)



The information above is believed to be accurate and represents the best information currently available

to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Reviewer Revision

Date Prepared: 3/9/2023

SDS for: Face Away Graffiti Remover (62050)

Page 5 of 5

Printed: 3/9/2023 at 3:28:00PM